

ATTACHMENT B

**PRICE SCHEDULE FOR LABORATORY SERVICES
WEST LAKE LANDFILL, BRIDGETON, MISSOURI
APRIL 24, 2014**

LABORATORY NAME: _____

TAX IDENTIFICATION NO.: _____

Sample	Parameter	Project Quantitation Goal	Anticipated Detection Limit (pCi/per filter)	Method Proposed by Laboratory	Unit Price	Turn Around Time	Total Anticipated Price (to be calculated by TiEMI)
Sample type: One 47-mm filter (analyses to be performed on a single filter). Anticipated number of samples: 5 filters plus 1 field blank and 1 media blank per week for up to 12 months are anticipated.	Gross alpha/beta	10 pCi/filter					
	Gamma spectroscopy	<i>None specified</i>					
	Alpha-emitting radium	2 pCi/filter					
	Radium-226 (analyzed only if alpha-emitting radium greater than 5 pCi/filter)	2 pCi/filter					
	Thorium by alpha spectroscopy	1 pCi/filter for Th-230					
	Uranium by alpha spectroscopy	<i>None specified</i>					
Total Anticipated Price (to be calculated by TiEMI)							

NOTE: Tetra Tech will provide sample volume for calculation of a volumetric concentration by the laboratory. The Subcontractor shall invoice TtEMI for actually quantities analyzed and turnaround times requested and achieved.